

cye



Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

David A. Cornett

Direct Dial: 404-881-7846

E-mail: david.cornett@alston.com

May 26, 2006

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
JUN 02 2006
of Correction


Re: United States Patent for *Systems And Methods Of Item
Delivery Utilizing A Delivery Notice*
Application No. 10/689,514; Filed October 20, 2003
Patent No. 6,994,253; Issued February 7, 2006
Our File 018360/265202

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,


David A. Cornett
Registration No. 48,417

DAC:mf
Enclosures

CLT01/4828334v1

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
704-444-1000
Fax: 704-444-1111

90 Park Avenue
New York, NY 10016
212-210-9400
Fax: 212-210-9444

3201 Beechleaf Court, Suite 600
Raleigh, NC 27604-1062
919-862-2200
Fax: 919-862-2260

601 Pennsylvania Avenue, N.W.
North Building, 10th Floor
Washington, DC 20004-2601
202-756-3300
Fax: 202-756-3333

JUN 05 2006

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,994,253 B2
DATED : February 7, 2006
INVENTOR(S) : Miller et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 14,

Line 41, "end" should read --and--.

Column 16,

Line 10, "wit" should read --with--.

Column 17,

Line 53, "au" should read --an--.

Column 18,

Line 9, "wit" should read --with--.

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

FORM PTO 1050 (REV. 3-82)

PATENT NO.

6,994,253 B2

No. of add'l. copies
@ 30¢ per page



JUN 05 2006

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,994,253 B2
DATED : February 7, 2006
INVENTOR(S) : Miller et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 14,

Line 41, "end" should read --and--.

Column 16,

Line 10, "wit" should read --with--.

Column 17,

Line 53, "au" should read --an--.

Column 18,

Line 9, "wit" should read --with--.

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

FORM PTO 1050 (REV. 3-82)

PATENT NO.

6,994,253 B2

No. of add'l. copies
@ 30¢ per page



JUN 05 2006